
Wisconsin Public Psychiatry Network Teleconference (WPPNT)

- This teleconference is brought to you by the Wisconsin Department of Health Services (DHS) Bureau of Prevention, Treatment and Recovery and the University of Wisconsin- Madison, Department of Psychiatry.
- The Department of Health Services makes no representations or warranty as to the accuracy, reliability, timeliness, quality, suitability or completeness of or results of the materials in this presentation. Use of information contained in this presentation may require express authority from a third party.



Objectives

At the end of this presentation, participants will be able to:

- Understand how Evidence-Based Practice must be at the foundation of any risk/needs implementation
- List 2 examples of what COMPAS is and 2 examples of what COMPAS is not
- Recognize the most predictive factors of risk as identified by research
- Identify how a COMPAS assessment is administered
- At a high level, read a COMPAS bar chart
- Recognize the OARS program and list the admission criteria

1

A Foundation of Evidence Based Practice ENGAGE ON-GOING SUPPORT IN COMM. INCREASE POSITIVE REINFORCEMENT SKILL TRAIN WITH DIRECTED PRACTICE TARGET INTERVENTION ENHANCE INTRINSIC MOTIVATION RISK/NEED: ASSESS ACTUARIAL RISK


The RNR Principles: Recidivism Reduction


Three Principles to Follow:


- Risk: Accurately identify the level of risk to maximize the investment of resources.
- Need: Know the needs of individual offenders and how those needs relate to recidivism.
- Responsivity: Treat the offender's criminogenic needs through appropriate programming and supervision to reduce risk of recidivism.


3


(Andrews and Bonta, 2007)












Norming versus Validation




Norming:


Norming refers to the process of creating a 'norm' group to use as a comparison when assessing a specific group. This is done by comparing the assessed persons answers to a large amount of cases whose outcomes we know.


Validation:

Validity is the extent to which an assessment measures what it is supposed to. For our purposes in evaluating COMPAS, this means how well the scales (23) are measuring what they say they are measuring.



Opening Avenues to Reentry Success OARS - Overview - Admission criteria · Minimum of six months of supervision after release ∘ Serious mental health diagnosis (DOC MH-2A≈Axis I) Moderate or High COMPAS Risk Level Recommendation · Releasing to an OARS territory (county of residence) · Demonstrate a general motivation and willingness to engage in treatment programming Voluntarily consents to participate in the OARS 11 Program





Resources / Further Learning

- Northpointe website: http://www.northpointeinc.com/
- Independent validation study:

http://www.criminaljustice.ny.gov/crimnet/ojsa/opca/compas_probation_report_2012.pdf

NIC 8 Principles of Effective Intervention

http://nicic.gov/theprinciplesofeffectiveinterventions

Risk Principle – Ohio halfway house study

 $\frac{\text{http://cjonline.uc.edu/resources/criminal-justice-research/increasing-the-effectiveness-of-correctional-programming-through-the-risk-principle-identifying-offenders-for-residential-placement/}$

Jared Hoy Reentry Project Manager (608) 240-5010 Jared.Hoy@wisconsin.gov

Lars Brown
Reentry Disabilities Coordinator
(608) 240-5016
LarsM.Brown@wisconsin.gov